

von Klitzing constant Prediction for the

1.0 Abstract:

The following paper is a prediction for a more precise value for the von Klitzing constant. The von Klitzing constant is simply the Planck constant divided by the elementary charge squared. This value, according to CODATA to a very high accuracy. This value in CODATA is 25812.8074555(59) Ω . This paper uses the equations developed in "Evidence for Granulated, Granular Topological Spacetime"(1), "Prediction for the Sommerfeld Fine-Structure"(2), "Prediction for the Mass Ratio of the Proton to the Electron"(3), and "An Electro Magnetic Resonance in 9 Dimensions that gives Mass Ratio of Electron to Neutron"(4) to predict a value for the von Klitzing constant. The value predicted in this paper is 25812.8074479 ohms, which is within 1.3 sigma of the CODATA value listed above. It is predicted, that as these measurements become more precise that the CODATA value will converge around 24812.8074479 ohms.

2.0 Equations and Discussion

The following equation was developed in "Evidence for Granulated, Granular Topological Spacetime"(1),

$$q^2 = T\pi^3hc\varepsilon \frac{Me}{2Mn} \quad [2]$$

If we rearrange this equation for $\frac{h}{q^2}$ the von Klitzing constant we obtain the following.

$$\frac{h}{q^2} = \frac{2Mn}{Me * T\pi^3c\dot{o}} \quad [3]$$

If we use the values for "T" and " $\frac{Me}{Mn}$ " determined in "Prediction for the Sommerfeld Fine-Structure"(2) and the CODATA values for c, the speed of light, and $\dot{o}$, the vacuum dielectric permittivity.

These values are shown below.

$$T^2 = \frac{1}{\sqrt{1 - (2^{0.5} \frac{\pi Me}{3 * 3Mn})^2}} \left[\left(\frac{Mp - Me}{Mn} \right)^2 + \left(\frac{Mn}{Mn} \right)^2 + \left(\frac{Mn}{Mn} \right)^2 \right] \quad [2.1]$$

von Klitzing constant Prediction for the

$$T^2 = 1.000000036041 * 2.99616291064 = 2.996163018629$$

$$T = 1.730942812062$$

$$\frac{M_p}{M_n} = 0.99862347872$$

$$\frac{Me}{Mn} = 5.4386734442 * 10^{-4}$$

$$c = 299792458 \frac{m}{s}$$

$$\hbar = 8.85418781762 * 10^{-12} \frac{F}{m}$$

Which yields a value for equation 3, the von Klitzing constant of

$$\frac{h}{q^2} = 25812.80744794 \text{ ohms}$$

Compared to the CODATA value of

von Klitzing constant R_K	
Value	25 812.807 4555 Ω
Standard uncertainty	0.000 0059 Ω
Relative standard uncertainty	2.3×10^{-10}
Concise form	25 812.807 4555(59) Ω

The values for the von Klitzing constant is empirical and derived. It will be seen in the future if these derived and empirical portions of equation 3 are correct. It is clear that the value for the von Klitzing constant of 25812.80744794 is within the 1.3 sigma of the CODATA value. This value for the von Klitzing constant is a check for the values determined in This paper uses the equations developed in "Evidence for Granulated, Granular Topological Spacetime"(1), "Prediction for the Sommerfeld Fine-Structure"(2), "Prediction for the Mass Ratio of the Proton to the Electron"(3), and " An Electro Magnetic Resonance in 9 Dimensions that gives Mass Ratio of Electron to Neutron"(4) as these values were determined without the von Klitzing constant in mind, and yet the value for the von Klitzing constant was within normal expectations of 1.3 sigma from the CODATA value of 25812.807455(59) ohms.

von Klitzing constant Prediction for the

The value obtained is amazing since the CODATA mass ratios exceed the CODATA for the Von Klitzing constant. It is evidence for the Sphere Theory of Michael John Sarnowski

3.0 References

- 1) <http://vixra.org/pdf/1601.0234v2.pdf>
- 2) <http://vixra.org/pdf/1611.0364v2.pdf>
- 3) <http://vixra.org/pdf/1612.0326v1.pdf>
- 4) <http://vixra.org/pdf/1612.0068v2.pdf>