Hybrid Time Theory: "Euler's Formula" and the "Phi-Algorithm"

13th January 2020

Stephen H. Jarvis.

http://orcid.org/0000-0003-3869-7694 (ORCiD)

EQUUS AEROSPACE PTY LTD

Web: www.equusspace.com
email: shj@equusspace.com

Abstract: In this series of papers on the golden ratio algorithm (phi-algorithm) for time [1-14], the concept of time as the phi-algorithm has been the core focus of topic. Through the development of the papers, the idea of the phialgorithm for time seeking to define pi has resulted in the development a vast field of ideas covering what is perceived and measured of the natural physical world, containing equations that fit all observed data regarding the field forces for mass and energy and associated constants thereof. These results took shape from the initial premise of defining space as a "0" 3-d construct associated to time, "time" as a concept that is tagged to a basic logical construct of consciousness, namely the features of time-before, time-now, and time-after, and how that process of time from timebefore to time-after can fit with the basic feature of 0-space in time-now. It was proposed that time would propagate from any point in 0-space as a spherical wavefront at a fixed rate. Now, in this paper, that assumption will be fully addressed, namely the assumption of time seeking to conform to a spherical wavefront and thus to the notion of the value of pi. This will be achieved by first addressing how words should be most precisely and efficiently used to explain the notion of space and time in detailing a just as efficient and precise use of numbers describing the process of linking a 0 reference in space to an infinite reference. Then, that description will uphold the findings of papers 1-14 [1-14], most importantly the final premise reached in paper 14 regarding natural radioactive decay. There it shall be explained exists an associated equation for time, not explicitly the phi-algorithm for time, yet an associated algorithm of its own explained in Euler's formula. The aim here in this paper is to then propose a compromise between two time-theories as a general equation for time involving the value of "Euler's number", "phi", and "pi".

Keywords: time; space; golden ratio; pi; phi; Euler's formula; phi-algorithm; half-life; caesium; climate change

1. INTRODUCTION

In this series of papers on the φ -algorithm for time [1-14], the concept of time as the φ -algorithm has been the core focus of topic. Through the development of the papers, the idea of the φ-algorithm for time seeking to define π has resulted in the development of a vast field of ideas covering what is perceived and measured of the natural physical world, containing equations that fit all observed data regarding the field forces for light, mass, and energy and associated constants thereof. These results took shape from the initial premise of defining space as a "0" 3-d construct associated to time, "time" as a concept that is tagged to a basic logical construct of consciousness, namely the features of time-before, time-now, and time-after, and how that process of time from time-before to time-after can fit with the basic feature of 3d 0-space in time-now. It was proposed that time would propagate from any point in 0-space as a spherical wavefront at a fixed rate. Now, in this paper, that assumption will be fully addressed, namely the assumption of time seeking to conform to a spherical wavefront and thus to the notion of the value of π . This will be done by first addressing how words should be most precisely and efficiently used to explain the notion of space and time in detailing a just as efficient and precise use of numbers describing the process of linking a zero (0) reference in space to an infinite (\infty) reference. Then that description will uphold the findings of papers 1-14 [1-14], most importantly the final premise reached in paper 14 regarding the feature of $e = m c^2$ and associated process of natural radioactive decay as per Euler's formula [15]. There, it shall be explained exists an associated equation for time, not explicitly the φ-algorithm for time, yet an associated algorithm of its own explained in Euler's formula. The aim here in this paper is to then propose a compromise between two time-theories as a general equation for time involving the value of "e", " φ ", and " π ". This paper will be structured as follows:

- 1. Introduction.
- 2. Explaining space and time with mathematics.
- 3. How time is currently measured.
- 4. Hybrid time-theory.
- 5. Conclusion.

The conclusion reached suggests that Euler's formula as an equation for time it would seem for implies a "naught" future, as a natural process of radioactive decay, whereas the φ-algorithm presents a more worthwhile steady-state process to time and space, yet a compromise can be reached between those two determinations for time, those two sciences, and thus those two associated technologies and notions of wealth sharing.

2. **EXPLAINING SPACE AND TIME WITH MATHEMATICS**

In this chapter the assumption of 0-scalar space and associated time-algorithm seeking " π ", the φ-algorithm, as presented in paper 1 [1] shall be addressed. Here, the basic idea of mathematics shall be explained, why mathematics represents a type of "logic" for our tendency to "adapt" to reality, and what would represent a most basic wording for the concepts of space and time.

2.1 **MATHEMATICS**

Mathematics represents a broad field of interests such as numerical quantity as number theory, mathematical structure as algebra, space as geometry, and change as mathematical analysis, employing with those ingredients certain mathematical models to formulate conjectures, axioms of choice, through abstraction and logic that are proven true or false through mathematical proof. Successful proofs are considered as good models for real phenomena. Through such a process, the notions of counting, calculation, and measurement, have been applied to the phenomena of physical objects. Mathematics may nonetheless be purely mathematical without any design or purpose in mind, yet Mathematics has primarily held its purpose in explaining the world. In a world that was initially thought of a generally flat, the idea of explaining reality using a flat surface with drawn lines and angles seemed to be intuitive for the ancients. From such beginnings, certain "functions" in mathematical congress to explain numbers and their association to one another become apparent, basic functions-operators such as addition and subtraction, and even then the concept of what those numbers represent, such as lines in space or length in time, had to be to be explained "with words", otherwise mathematics was nothing but a collection of symbols with no literary meaning other than numbers alone with expressed functions.

2.2 EXPLAINING THE DIVERSITY OF EQUATIONS, FORMULAS, AND THEORIES.

To explain how such diversity has evolved in mathematical equations, formulas, and theories, it can be considered that such diversity has depended on three key things:

- 1. Our conscious ability to achieve such, our conscious pixilation of intelligence and drive.
- 2. The process of applying our intelligence and drive to what appears to be a neverending vastly and unfathomable reality.
- 3. Our diversity as beings, having a different point of view to each other, and thus a vast well of unknowns based on the difficulty in sharing a common concept.

Each of such things are primary, and each of such things do not represent a mathematical process in their entirety. Subsequently, the application of mathematics to observed phenomena has focused primarily on physical objects in space and their motions with each other, and how mathematics as numbers with associated structures can be related to space as a type of geometry with an associated feature of change some would interpret as a process of time's flow. How mathematics has been applied to reality has depended primarily on the wording, the actual transcript of context, for the use of mathematics central to the nature of space, the nature of objects in space, and the nature of the motion of those objects in space.

2.3 WORDING A MATHEMATICAL AXIOM FOR SPACE

It could be suggested that the concept of space is a fairly routine concept to measure as a mathematical construct requiring only a few words, only a few literary axioms, yet the concept of time not so. Two key mathematical features used for space and time that appear to be fairly routine through scientific definition is that space can be measured with a straight line using three axes as 3 dimensional space, and time can be measured as a single dimension in regard to that 3-d space. A few of the basic tenets of this process include:

- Straight lines are generally used to measure space.
- A circle is measured in relation to 2-d space as the curved line drawn as an arc equidistant from a nominated central point of any nominated line.

Given a circle is very different to a line, π , the value for the circumference of a circle with diameter "1", is why we need words to primarily describe the mathematics of a circle in regard to space, to explain the connection between the arc of a radius drawn as a circle in reference to a line (such as its diameter), and how that is achieved; simply, any key irrational number such as " π " needs words to explain exactly what happened there, how that irrational number came into being.

To define why " π " could be an irrational number, a key one, in words, is a good way to set a standard of use of words to then describe other features of space that could be related to for instance the idea of time; in describing π with words alone, why π "is" an irrational number, one need only ask oneself how and why " π " is *related* to a "line". For instance, take a straight line, real and rational, determined, say "1", and then go to the midpoint of that line and draw an arc around that straight line from the midpoint of that line. The proposal is that length of the circle around that line can never be the concept of a complete number as the distance of that line could be. Why? If one suggested that the concept of the distance of that line the circle arcs around can never be determined, then how can that circle be drawn on such an undetermined length of line? Furthermore, to draw that circle is to use a geometry related to that line (diameter) that has no actual relationship to the exactness of the number assigned to the distance of that line other than a value that (as a number related to that line) is forever incomplete as a description of a number value, as it can only be, in trying to link the beginning of that line with the end of that line without being that line. In other words, that line could be at any angle in reference to the circle. That's intuitive; and so, if the line is known as a determined length, its circle can never be properly defined, and thus must be irrational. Therefore, how indeed can a straight line be in a perfect ratio with a circle if the angle of that line in space can never be determined owing to the nature itself of the circle, no beginning, and no end? The question is how such improbability of exact definition manifest itself in reality.

How does this look therefore on paper in the form of a mathematical axiom for space, with the notion of time being the variable seeking to perfect π , as though time is a type of endless algorithm forever trying to reach the perfect value of π ? Consider a total "1" length of a line "A" could represent "any" part of an infinite region of 2-d space around a central "0" point, as follows (figure 1):




Figure 1: here, A is a straight line of length "1" in any infinite region of 2-d space effected by the axes x and y around an arbitrarily reference point "0" such that from that "0" point the line extends a length of +1/2 and -1/2 from that "0" reference. "B" is the value of π as the arc around the central point "0" radius 1/2.

Here the blue dotted line "B" is the value " π ". Yet what indeed is the value " π "? Can it be represented as a whole number, a fraction even? One thing that is certain is that the circle never gets to "0", never breaches the "0" point.

Therefore, as an arbitrary condition of definition here, let it be suggested that in regard to space for the circle, $\frac{1}{m}$ represents that "non-0" concept for the circle in that the circle as a type of curved line in not skewing "0" would somehow constantly "approach" zero from a $\frac{1}{2}$ (radius) reference, never meeting it though, as per equation 1.

$$\frac{1}{m} \sim 0 \tag{1.}$$

In other words, the "reference" of the blue line "A" represents a unit vale per anywhere in ∞ "as" what would trace a "circle" if "0" is not being used as the reference for that line. It is just a statement that dispels the notion of "0" and replaces it with the idea of $\frac{1}{m}$ for the idea of the circle. Yet how can co be defined to give substance to this reference for the circle?

Let it now be suggested that to define this circle one must use an increasing denominator value from the reference of line A as a fraction central to "0", in approaching "0" from a $+\frac{1}{2}$ and

 $-\frac{1}{2}$ value in order to define the "0" reference; more correctly, in *approaching* the "0" reference, the length of the circle as an exact number would represent a number not expressed by a perfect *single* fraction given ∞ can never be defined, yet a series of fractions that would employ the use of a denominator of the fraction *extending* to ∞ through a process of subtraction and addition *around* a "0" reference (as technically "0" is being approached, yet never reached, as what the "circle" wold best represent relevant to this line "A"), as per equation 2:

$$\pi = 1 - \frac{1}{2} + \frac{1}{2} - \frac{1}{4} + \frac{1}{5} \dots etc$$
 (2.)

The problem there though is that any fraction as a factor of $\frac{1}{2}$ cannot be used, as $\frac{1}{2}$ is integral to the length of each axis for line A (relevant to "0") "of the line" being used, and therefore "unique" numbers NOT integral to $\frac{1}{2}$ thus must be used. Therefore, the process would become as equation 3:

$$\pi = 1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} \dots etc$$
 (3.)

Why is subtraction and addition used in this manner? The point here is being central to while approaching the "0" reference, and thus what must be a negative and positive scale around the "0" reference, the first step clearly being a negative step from the basic "1" line reference (diameter of the circle), the step following that a positive step, the step after that a negative step, and so on and so forth. In short, the idea of "0" is best explained central to $\frac{1}{\infty}$ by this definition *for the circle*.

Thus, we start with 1 as the overall length of the line, and then seek to determine how to define the circle as a concept that would "approach" a "0" reference therewith, to create a process of balancing subtraction and addition central to this "0" reference of an overall "1" line, one $+\frac{1}{2}$ length to the $-\frac{1}{2}$ length meeting at a "0" point, from $-\frac{1}{2}$ to $+\frac{1}{2}$. Once again note that any factor of $\frac{1}{2}$ from 1 to ∞ cannot be used in this sequence owing to $\frac{1}{2}$ already representing the scale of each axis in use for line A, as a unique scale is needed "*from*" that $\frac{1}{2}$ scale all the way to ∞ *for the circle*.

Yet the next question is, what value, what fraction, of π is being calculated through this process? Is " π " being calculated whole or a fraction of " π ? The value of π being calculated can only be a factor of the axes being used, and here this is as a progression based on one positive axis of length $\frac{1}{2}$ and one negative axis of length $\frac{1}{2}$, and thus a factor of $\left(\frac{1}{2}\right)^2$. Thus, equation 3 must become as equation 4:

$$\frac{\pi}{4} = 1 - \frac{1}{2} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} \dots etc$$
 (4.)

Note also that "\omega" is a concept that would exist by default as a very large number, and thus for the most accurate value for $\frac{\pi}{4}$ to be reached this series of fractions must extent to include a denominator approaching ∞ , in successfully demonstrating the reference for the circle of $\frac{1}{\infty}$; simply, $\frac{\pi}{4}$ is the value reached that joins the ends of each axis from "0" as it only can be, as this is not a direct calculation of the ends of the axes together, yet the value held in the context of "co". The next real question is, "what is the implication of this curve?". Is it a feature of space or a feature of time? The thinking is that if space has already been measured as the straight-line axes incorporating line "A", then the value of the curve (π) in the context of ∞ would be relevant to that other fundamental feature of reality, "time", which shall be discussed shortly.

Nonetheless, this equation is an actual confirmed equation for π reached through different axioms of definition though as per the work of Gottfried Wilhelm Leibniz [16] and Madhava of Sangamagrama [17]. π has been reached here by this equation though in the context of defining the hypothetical concepts of "0" and ∞ using straight lines and a circle for 2-d space, which can then be applied to a 3-d grid of space. Note that this is not a process of rounding something off using an infinite progression, this is quite the opposite, this is accepting the nature of what is being defined and why it is being defined in such a manner. The question though is, "how can this algorithm as space represent a function of time?". It's fine to define this concept of space as π , yet what about defining π using a function of time? That has been the guest in paper 1-14 [1-14] using the φ-algorithm for time, and to demonstrate its worth by deriving known feature of time and space.

In short, if space is associated to "0", time is associated to the value of a circle, to π , the emphasis of the preceding papers [1-14]. This is why it was considered very intuitive to use this idea for the wave-function of light in this series of papers [1-14], namely time as the wave-function seeking to define " π ". The implication here is that if 3d-0 space can be determined with lines exactly, as an ideal scenario, then light cannot and should not be exactly determinable other than seeking to define π .

2.4 WORDING A MATHEMATICAL AXIOM FOR TIME

Here the idea of time is given the quality of not just our conscious ability (time-before, time-now, and time-after) as described per paper 1 ([1]: p1-6) (the φ-algorithm for time), yet a property of an axis associated to space, as an analogue of a sinusoidal wave in space along an axis who's aim is to properly "define" π , as per paper 2 ([2]: p4-12). The quest of that paper and subsequent papers was to determine how that function for time, that wave-function, would represent what would be "perceived" of reality. And so each paper built upon that basic wavefunction for time in space, driving the basic features of such an association of time with space, time "as" the consciousness-related algorithm of time in space, as per what would be the most logical thing to perceive of reality using that concept of time, that golden ratio signature of time,

based on the basic conscious notions we have for time, namely time-before, time-now, and timeafter. That theory then lead to where we are now, using those 14 papers [1-14] to then take a general and complete look at what has been achieved and perhaps why the scientific community has yet to cotton-on with such a theory.

The general criticism of contemporary physics in light of the ϕ -algorithm for time is contemporary physics' use of inertia and how such a concept has limited contemporary physics theory, preventing contemporary physics theory from properly understanding the nature of light in "pure space" and why there is such a thing as the redshift of light [13], and how a correct understanding of light in space through a correct understanding of the axiom of time and space can solve the cosmological constant problem [14]. Yet inertia is not the fundamental problem for contemporary physics. There is something more fundamental that seems to be the over-arching problem for contemporary physics theory, and that is how contemporary physics theory measures the concept of time. The only way to highlight this feature of how time is measured using inertia theory, the basis of Newton and Einstein's theories of mass in space with time, and how ineffective it is, is to make the necessary comparison to the φ-algorithm for time theory, that equation, with a few key highlights,

3. HOW TIME IS CURRENTLY MEASURED.

As indicated by the successful results of papers 1-14 [1-14], as summarized in paper 14 [14]: p 29-30) by comparison to contemporary science, in not setting a suitable standard for the idea of "0" and ∞ and π as a notion of space, another process was used as per contemporary science, that being the exponential grid equations introduced by Euler. The force behind Euler's formula is equally interesting, for we should ask ourselves how the idea of using coin an algorithm became sought after in physics. For Euler at the time, it was the mathematics of financial wealth, namely compound interest (superannuation), for e is the number linked to exponential growth, a key determinant in financial analysis. In mathematics, Euler's formula, or Euler's identity, named after its founder the Swiss mathematician Leonhard Euler, is as (equation 5):

$$e^{i\pi} + 1 = 0 (5.)$$

where e is Euler's number [18], the base of natural logarithms, i is the imaginary unit, which by definition satisfies $\hat{r} = -1$, and π is the ratio of the circumference of a circle to its diameter.

Euler's formula is considered to be a standard of mathematical beauty in demonstrating the profound connection between the most fundamental numbers in mathematics in the way it does. Nonetheless, Euler's formula uses the idea of e and i as a limiting function with ∞ , whereas the concept presented in this paper regarding time as the φ -algorithm uses the idea of 0-1- ∞ and π as a primary definition for space which is then annexed with " φ " as a time-algorithm. Nonetheless, For an equation such as Euler's to be presented so simply and fundamentally, it certainly must represent a key concept for reality, for instance, space or time. It does. As a type of analogue for time. And such is indeed the case, as the idea of time is measured objectively using Euler's formula regarding the concept of the time-constant [19]. Here, Euler's formula is used to explain the radioactive decay of particles, and does this with the radioactive decay of the Caesium atom [20]. Yet, one may ask if time is in fact completely a process of radioactive decay? What are the general applications therefor of Euler's formula?

Half-life ($t_{1/2}$) [21], the key application of Euler's formula, is the time required for a nominated quantity to reduce itself to half of its initial nominated quantity value. It has applications in two key fields of study:

Physics

- Ernest Rutherford applied the principle of Euler's formula as the radioactive decay of an element as a half-life to study the age of rocks through measuring the decay period of radium to lead-206.
- In nuclear physics half-life describes how quickly unstable atoms undergo radioactive decay (or conversely how long they survive, depending on the choice of view, half full or half empty); Nuclear chain reaction as per a uranium nucleus undergoing fission produces multiple neutrons that each can be absorbed by adjacent uranium atoms, causing them to fission in turn, and this a runaway exponential explosion.
- Avalanche breakdown is the term given for a dielectric material whereby a free electron frees up additional electrons as it collides with atoms or molecules of the dielectric media after becoming sufficiently accelerated by an externally applied electrical field; the subsequent secondary electrons behave the same way as the initial free electron. The resulting exponential growth of electrons and ions may rapidly lead to complete dielectric breakdown of the material

Biology:

- Generally, half-life describes any type of exponential or non-exponential decay; the biological half-life of drugs and other chemicals in the human body is based on Euler's formula.
- Converse to the idea of half-life is doubling time used to describe biological population growth.
 - Studies show that the population of microorganisms in a culture increases exponentially until an essential nutrient is exhausted, indicating a constant growth rate.
 - So too with the Human population; for instance, the population of the United States of America is exponentially increasing at an average rate of one and a half percent a year (1.5%), and thus the doubling time of the American population is approximately 50 years [22].

The initial utility of Euler's formula was in compound interest, yet as is apparent it has been applied to the idea of a "time-constant" [19] for radio-active decay as the value of time it takes for decay to measure $\frac{1}{\rho}$, which technically bases the value of time as a type of compound percentage value, when in fact the concept of time can be something else entirely. How did this happen? It was considered that the idea of half-life is a constant over the lifetime of an exponentially decaying quantity, that radio-active decay is constant as an accumulative measure of any such quantity. Such is the contemporary understanding for time as an objective measurement of such processes that can be relied upon as a standard (as per the radioactive decay of the Caesium atom [20]), time that uses that process of "decay", decay of a quantity of an atom no longer being a part of the process of time, yet spiraling out of fashion as it were. Time though when locked in with space according to the φ-algorithm has a different function as highlighted in papers 1-14 [1-14]; the issue with exponential growth and exponential decay is one of an atom that is undergoing a process of exponential growth or decay, radiation, that is no longer a part of the stabilized form of space and time, yet the unhinged and unbound process of time and space, as highlighted in paper 14 ([14]: p26). Such processes would occur as a manner of disintegration, even exponential growth, as exponential growth incurs a resource-incursion that takes away from an otherwise time-correct steady state situation; exponential decay or growth are two sides of the one coin, as even in a situation of the growth of cellular material, there would be an accountable exponential loss of resources. In short, as per paper 14 [14], it seems that in the process of time's flow as the φ-algorithm, there is an allowance for radioactive decay (as radioactive decay), and thus a distinct allowance for the idea of Euler's formula for time and the φ-algorithm for time as one ([14]: p26), held in the one general overall equation for time of the φ-algorithm. How can such be possible? The answer lies in the code itself, the presented function, of Euler's formula.

4. HYBRID TIME-THEORY

Euler's formula on the surface is analogous to $t_B + t_N = t_A$ where $t_N = 1$ and $t_A = 0$ and $t_B = e^{i\pi}$, as per equation 6:

$$e_{t_R}^{i\pi} + 1_{t_N} = 0_{t_A} (6.)$$

The idea of $t_A=0$ is essential to understanding this is a time-equation for "atomic resource-decay", or quite simply, a 0-future. The "e" component of time as t_B is simply represented to a power of π on a complex number plane, as π in a complex number plane. Yet another equation can be employed incorporating the golden ratio value of t_B in the standard ϕ -algorithm for time, and the only way that equation can be written is by associating "e" with " ϕ " to equate to " π " in the following standard linear manner as per equation 7:

$$e^2 + \varphi^2 \sim \pi^2 \tag{7.}$$

However, this should be more accurately written in the following manner, as per equation 8:

$$e^2 + \varphi^2 \sim \left(\sqrt{\frac{19.8}{20}} \pi\right)^2$$
 (8.)

The reason why $\sqrt{\frac{19.8}{20}}$ should be factored with π in such a fashion owes itself to the need to consider the π compression factor of $\sqrt{\frac{19.8}{20}}$ ([14]: p23) for space which as $\frac{19.8}{20}$ is a t_A entity which thus must be brought back to a t_B factor in that $t_A = t_B^2$, and thus $t_B = \sqrt{t_A}$. This equation cannot be a precise relationship though as a Pythagorean representation of a line, only an approximation, as the key equation ingredients here are all irrational numbers (e, φ, π) aiming to represent a fixed line determination, which is not possible other than an approximation, and here the explanation is delivered as two processes for time central to the idea of π . Yet the case presented here is that the φ representation for time seeking π presents an equation for time that is a process of a rational number space reference as per being central to $t_N = 1$, not the set of "e" which conversely produces an irrational locale for the idea of spacetime as inertia. The description of φ (golden ratio) in relation to π (aim for phi-quantum wave-function) therefore as that time algorithm "utilizes" the idea of "e" when it is required in the grand universal time-space scheme given "e" represents no primary structure itself for time or space, only a type of scaling system for an exponential function in time that has been demonstrated to calculate the time-step of the structure of an atomic process of radioactive decay, and thus works with a process of time to assist φ seeking the algorithm for π , as a process of the natural radioactive decay of atoms.

The new process of using time here is not objectively as a function of time getting to the value of "0", yet an endless function of time with space forever calculating itself, needing to, much like a computer has a speed of data processing. This is a very important point, for on the one hand Euler's formula acts as though it is stepping back from reality to then quantify reality as time with numbers, and on the other hand the concept of the φ -algorithm for time is one of measuring time "as" an algorithm in space forever calculating itself "AS" a calculation. Thus, one can present first principles, axioms of choice, for space and time, and then develop from there, yet the axiom of choice presented here is based on a fundamental approach to time and consciousness, segmenting the idea of time "around" a now event (t_N) , a segmentation that allows an interface with consciousness for a memory of time and a forewarning of the future for time, existing in a real $t_N=1$ moment, in replacing the classical idea of cause and effect; science here is based on a perception ability with a particular temporal steady-state approach to reality, a scientific model for a steady-state exercise of science in reality in regard to consciousness, as the primary concept for time, despite the idea of radioactive decay as presented in Euler's formula being associated to the φ -algorithm for time.

There would exist nonetheless a hybrid time-theory combining both the ϕ -algorithm central to a steady state universal model, and a "radio-active" decay model of temporal appreciation. A key implication here is considering the actual temporal nature of the universe through radioactive decay measurements alone, results which could indeed provide a misleading value compared to the actual age of what would appear more likely to be a steady state universe, if indeed scientific theoretical merit is based on accuracy

in derivation of known constants and associated measurements of forces associated to mass, energy, and light, detailing a primary hybrid-time model of the universe with cyclical creation and extinction events, the subject of a subsequent paper.

4. CONCLUSION

The purpose of this paper has to present a case of specific words for why the ϕ -algorithm for time seeks to define " π ", and how this happens, to address the assumption of 0-scalar 3-d space in paper 1. Yet in doing so, interesting new conclusions become apparent regarding the current contemporary scientific measurement process of time, namely via an equation, Euler's formula [15], that primarily represents a process of "decay" (or growth, depending on the perspective of interest). In short, if space is associated to"0", time is associated to the value of a circle, to π , and both are associated to our perception ability which we reduced to three features of time as time-before to time-now to time-after brings to bear the ϕ -algorithm for time, which then brings to bear the phi-quantum wave-function for light seeking π , which then as a process of time in space manifests the theory for time and space and all associated processes such as electromagnetism, gravity, and mass, to make that work, as per papers 1-14 [1-14], as summarised in paper 14 ([14]: p29-30).

If there were an equation human society operated by that symbolised the consumption of natural resources, an equation that could prove natural resources would only be exhausted using that dependedon equation for human social wealth, an equation that suggested a natural resource exhaustion event must come to pass, not to address that equation as the world started to become depleted of resources would be an act of gross complacency, a scenario of a planet that is being used by a scientific industrial complex basing itself on exponential growth based upon its very condition of financial existence, a process that would in depleting all natural reserves of that planet undoubtedly eliminate everything as it consumes everything; no island, no continent, no social financial bubble community, would be safe in that scenario. Quite simply, Euler's formula, the same equation used for atomic radioactive decay, although being core for finance, for accumulated interest, is also used for biological cellular material reproducing until everything, all local natural resources, are consumed, unless of course that code and process can be abated. Indeed, our focus as a scientific community needs to accept the exponential decay of natural resources with our associated exponential growth, especially in using a social system that bases its finance on that very algorithm of calculated growth, and that the idea of climate change [23] would indeed reflect a decaying natural resource and associated platform becoming unsupportive of human life by our very activity if not scientifically held notions, the great danger being leaving things until it's too late, an event of exponential runaway climate change, as the equation for such decay with such a science and technology would hold as a process of time.

Conflicts of Interest

The author declares no conflicts of interest; this has been an entirely self-funded independent project.

REFERENCES

- Jarvis S. H. (2017), <u>Gravity's Emergence from Electrodynamics</u>, <u>http://vixra.org/abs/1704.0169</u>,
 https://www.researchgate.net/publication/328738261 <u>Gravity%27s emergence from Electrodynamics</u>, DOI: 10.13140/RG.2.2.35132.28804, https://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2017), <u>Golden Ratio Axioms of Time and Space</u>, https://vixra.org/abs/1706.0488, https://www.researchgate.net/publication/328738109 Golden Ratio Axioms of Time and Space, DOI: 10.13140/RG.2.2.30099.12327, https://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2017), <u>The Emergence of Consciousness from Chaos</u>, <u>http://vixra.org/abs/1707.0044</u>,
 https://www.researchgate.net/publication/328738518 The Emergence of Consciousness from Chaos, DOI: 10.13140/RG.2.2.23388.23683, https://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2017), Phi-Quantum Wave-Function Crystal Dynamics, http://vixra.org/abs/1707.0352,
 https://www.researchgate.net/publication/328738422 Phi-Quantum Wave-Function Crystal Dynamics, DOI:
 10.13140/RG.2.2.10045.10726, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2017), <u>Time as Energy</u>, https://www.researchgate.net/publication/328738526 <u>Time as Energy</u>, DOI: 10.13140/RG.2.2.23466.88009/2, https://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2018), <u>The Relativity of Time</u>, <u>http://viXra.org/abs/1801.0083</u>,
 <u>https://www.researchgate.net/publication/328738389_The_Relativity_of_Time</u>, DOI: 10.13140/RG.2.2.13400.55044/1,
 http://www.equusspace.com/index_2.htm. Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>Golden Ratio Entropic Gravity: Gravitational Singularity Field Testing</u>, http://vixra.org/abs/1904.0485,

 https://www.researchgate.net/publication/332672475 Golden Ratio Entropic Gravity Gravitational Singularity Field

 Testing, DOI: 10.13140/RG.2.2.27741.26089/1, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>The Golden Ratio Time Algorithm</u>, <u>http://vixra.org/abs/1905.0081</u>,
 https://www.researchgate.net/publication/332879052 The Golden Ratio Time Algorithm, DOI:
 10.13140/RG.2.2.35399.14246/1, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>The Physics Chimera</u>, <u>http://viXra.org/abs/1906.0127</u>,
 https://www.researchgate.net/publication/333668324_The_Physics_Chimera, **DOI:** 10.13140/RG.2.2.28499.02084,
 https://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>The Conception of Time</u>, https://www.researchgate.net/publication/333972239 <u>The Conception of Time</u>, DOI: 10.13140/RG.2.2.10258.71363/1, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>Space, and the propagation of Light, http://viXra.org/abs/1908.0388</u>, https://www.researchgate.net/publication/335232726 <u>Space and the Propagation of Light</u>, DOI: 10.13140/RG.2.2.15833.67689, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>Space, and the Nature of Gravity</u>, <u>http://viXra.org/abs/1909.0656</u>, https://www.researchgate.net/publication/336130560 <u>Space and the Nature of Gravity</u>, DOI: 10.13140/RG.2.2.17320.93443, http://www.equusspace.com/index_2.htm. Retrieved 13 January 2020.
- Jarvis S. H. (2019), <u>Space, and the Redshift Effect, http://viXra.org/abs/1911.0064, https://www.researchgate.net/publication/337019159 Space and the Redshift Effect, DOI: 10.13140/RG.2.2.14287.43683, http://www.equusspace.com/index_2.htm. Retrieved 13 January 2020.</u>



- 14. Jarvis S. H. (2019), Solving The Cosmological Constant Problem, http://viXra.org/abs/1912.0451, https://www.researchgate.net/publication/338159068_Solving_the_Cosmological_Constant_Problem, DOI: 10.13140/RG.2.2.25730.63686/1, http://www.equusspace.com/index_2.htm, Retrieved 13 January 2020.
- Moskowitz, Martin A. (2002). A Course in Complex Analysis in One Variable. World Scientific Publishing Co. p. 7. 15. ISBN 981-02-4780-X. Retrieved 13 January 2020.
- 16. Davis, Martin (28 February 2018). The Universal Computer: The Road from Leibniz to Turing, Third Edition. CRC Press. p. 7. ISBN 978-1-138-50208-6. Retrieved 13 January 2020.
- 17. T. Hayashi, T. Kusuba and M. Yano. 'The correction of the Madhava series for the circumference of a circle', Centaurus 33 (pages 149-174). 1990. Retrieved 13 January 2020.
- 18. Oxford English Dictionary, 2nd ed.: natural logarithm Retrieved 13 January 2020.
- 19. Bong Wie (1998). Space vehicle dynamics and control. American Institute of Aeronautics and Astronautics. p. 100. <u>ISBN</u> <u>978-1-56347-261-9</u>. Retrieved 13 January 2020.
- 20. L. Essen, J.V.L. Parry (1955). "An Atomic Standard of Frequency and Time Interval: A Caesium Resonator". Nature. 176 (4476): 280. <u>Bibcode:1955Natur.176..280E</u>. <u>doi:10.1038/176280a0</u> Retrieved 13 January 2020.
- 21. Muller, Richard A. (April 12, 2010). Physics and Technology for Future Presidents. Princeton University Press. pp. 128-129. ISBN 9780691135045. Retrieved 13 January 2020.
- 22. 2010 Census Data, "U.S. Census Bureau", 20 Dec 2012, Internet Archive: https://web.archive.org/web/20121220035511/http://2010.census.gov/2010census/data/index.php Retrieved 13 January 2020.
- 23. Climate Focus (December 2015). "The Paris Agreement: Summary. Climate Focus Client Brief on the Paris Agreement III" (PDF). Archived (PDF) from the original on 5 October 2018. Retrieved 13 January 2020.